TTS3-153



Three-way Stand-off Adapter Kit for 1.5–3 in round members, includes UAAI insert

Product Classification

Product Type Stand-off mount

Product Brand HELIAX®

Ordering Note ANDREW® standard product (Global)

General Specifications

Adapter Type Stand-off adapter

Mounting 3/4 in through hole

Dimensions

Material Thickness 2.591 mm | 0.102 in

Material Specifications

Material Type Stainless steel

Mechanical Specifications

Maximum Loading Double stack, 1-5/8 in cable

Packaging and Weights

 Height, packed
 12 cm | 4.724 in

 Width, packed
 11 cm | 4.331 in

Length, packed 1 cm | 0.394 in

Packaging quantity 10

Weight, gross 0.58 kg | 1.279 lb

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Below maximum concentration value



TTS3-153

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.andrew.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant



Included Products

31670-2 – Round Member Adapter for 2–3 in round members

SA-38 – Three-Way Snap-in Stand-off Adapter has two slots for round member attachment and 3/8"

holes for angle adapter integration. It includes three 3/4" holes for Snap-in hangers

UAAI – Universal Angle Adapter Insert





Round Member Adapter for 2–3 in round members

Product Classification

Product Type Banding clamp

Product Brand HELIAX®

Ordering Note ANDREW® standard product (Global)

General Specifications

Adapter Type Round member adapter

Dimensions

Compatible Diameter, maximum76.2 mm | 3 inCompatible Diameter, minimum50.8 mm | 2 in

Material Thickness 0.711 mm | 0.028 in

Material Specifications

Material Type Stainless steel

Mechanical Specifications

Maximum Loading Triple stack, 1-5/8 in cable

Packaging and Weights

 Height, packed
 14.2 cm | 5.591 in

 Width, packed
 14.2 cm | 5.591 in

 Length, packed
 7.9 cm | 3.11 in

Packaging quantity 10

Weight, gross 0.38 kg | 0.838 lb



31670-2

REACH-SVHC

Regulatory Compliance/Certifications

Agency	CidSilledioli
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system

Compliant as per SVHC revision on www.andrew.com/ProductCompliance



Three-Way Snap-in Stand-off Adapter has two slots for round member attachment and 3/8" holes for angle adapter integration. It includes three 3/4" holes for Snap-in hangers

Product Classification

Product Type Stand-off mount

Product Brand HELIAX®

Ordering Note ANDREW® standard product (Global)

General Specifications

Adapter Type Stand-off adapter

Mounting 3/4 in through hole | 3/8 in through hole | Round member

Dimensions

 Height
 2.54 mm | 0.1 in

 Outside Width
 41.402 mm | 1.63 in

 Outside Length
 85.852 mm | 3.38 in

 Material Thickness
 2.591 mm | 0.102 in

Material Specifications

Material Type Stainless steel

Mechanical Specifications

Maximum Loading Double stack, 1-5/8 in cable

Packaging and Weights

 Height, packed
 12 cm | 4.724 in

 Width, packed
 11 cm | 4.331 in

 Length, packed
 1 cm | 0.394 in

Packaging quantity 10

ANDREW® an Amphenol company

SA-38

Weight, gross 0.58 kg | 1.279 lb

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.andrew.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant



UAAI



Universal Angle Adapter Insert

Product Classification

Product Type Insert
Product Brand HELIAX®

Ordering Note ANDREW® non-standard product

General Specifications

Adapter Type Adapter

Mounting 3/8 in tapped hole

Dimensions

Outside Width12.7 mm | 0.5 inOutside Length25.4 mm | 1 inMaterial Thickness12.7 mm | 0.5 in

Material Specifications

Material Type Stainless steel

Mechanical Specifications

Maximum Loading Triple stack, 1-5/8 in cable

Packaging and Weights

 Height, packed
 4 cm | 1.575 in

 Width, packed
 5 cm | 1.969 in

 Length, packed
 1 cm | 0.394 in

Packaging quantity 10

Weight, gross 0.13 kg | 0.287 lb

Regulatory Compliance/Certifications



UAAI

Agency Classification

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.andrew.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant

